

FACE MASKS
MADE IN SRI LANKA



Bacteria Filtration Efficiency > 98% (ASTM 2101)

Breath-ability - 7.6Pa/SqCm (EN 14683)

Flame Resistant Class-1 Materials

Designed for Summer and Hot Environments

A face mask that is being exported to UK and UAE from Sri Lanka

**BERET HOUSE MASKS RECEIVED
ISO 9001:2015 FOR MASKS DESIGNING
& MANUFACTURING**

**In Compliance with CE Standards
EN 14683:2019+AC:2019(E)**

**DESIGNED & MANUFACTURED
BY**

**INTEGRATED MANAGEMENT
SOLUTIONS PVT LTD**

Nose Dart Model

- **FITS WELL ON ANY SIZE OF NOSE CONTOUR**
- **BREATHABILITY ENHANCEMENT COMPARTMENT**



BERET HOUSE MASKS PERFORMANCE LEVEL

WE HAVE CARRIED OUT TESTING OF PERFORMANCE OF THE BERET HOUSE FACE MASK AND FOLLOWING TABLE SHOWS THE COMPARISON AGAINST THE EN STANDARD.

Test	Type I ^a	Type II	Type IIR	Beret House
Bacterial filtration efficiency (BFE), (%)	≥ 95	≥ 98	≥ 98	≥ 98
Differential pressure (Pa/cm ²)	< 40	< 40	< 60	7.6
Splash resistance pressure (kPa)	Not required	Not required	≥ 16,0	Not required
Microbial cleanliness (cfu/g)	≤ 30	≤ 30	≤ 30	To be Advised

^a Type I medical face masks should only be used for patients and other persons to reduce the risk of spread of infections particularly in epidemic or pandemic situations. Type I masks are not intended for use by healthcare professionals in an operating room or in other medical settings with similar requirements.

**INTEGRATED MANAGEMENT SOLUTIONS PVT LTD
MASK SPECS**

Spec - For Adults - Standard Nose Bar Model

Mask Body - When Folded	L- 175mm W85mm (±3mm)
Mask Body - When Stretched	L- 175mm W155mm (±3mm)
Ear Loop Length from edge to edge	153mm (± 5mm)
Nose Bar	100mm 3mm

Spec - For Adults - Nose Dart Model New Design

Mask Body - When Folded	L- 190mm W85mm (±3mm)
Mask Body - When Stretched	L- 190mm W155mm (±3mm)
Ear Loop Length from edge to edge	153mm (± 5mm)
Nose Dart	15mm x 15mm

Layers

Inner layer - soft poly - cotton woven fabric with a gsm of 90 Colors : **Blue , Green, Yellow, Pink, orange**

Middle Layer - Melt blown non woven material with 40gsm/or anti bacterial poly-cotton woven material

outer layer - soft woven material /or Non Woven material



Capacity : 30,000 masks per day / 1 million masks per month

ISO 9001:2015 CERTIFIED FOR DESIGNING AND MANUFACTURING OF FACE MASKS

**Contact : Krishan Silva / Managing Director
Contact No : Mobile/Whatsapp : +94727 39 59 79
Email : krishan@imspvtltd.com**

**INTEGRATED MANAGEMENT SOLUTIONS PVT LTD
MASK SPECS**

Spec - For Kids - Standard Nose Bar Model

Mask Body - When Folded	L- 150mm W85mm (±3mm)
Mask Body - When Stretched	L- 150mm W155mm (±3mm)
Ear Loop Length from edge to edge	140mm (± 5mm)
Nose Bar	100mm 3mm

Spec - For Kids - Nose Dart Model New Design

Mask Body - When Folded	L- 175mm W85mm (±3mm)
Mask Body - When Stretched	L- 175mm W155mm (±3mm)
Ear Loop Length from edge to edge	140mm (± 5mm)
Nose Dart	10mm x 10mm

Layers

Inner layer - soft poly - cotton woven fabric with a gsm of 90 Colors : **Blue , Green, Yellow, Pink, orange**

Middle Layer - Melt blown non woven material with 40gsm/or anti bacterial poly-cotton woven material

outer layer - soft woven material /or Non Woven material



Capacity : 30,000 masks per day / 1 million masks per month

ISO 9001:2015 CERTIFIED FOR DESIGNING AND MANUFACTURING OF FACE MASKS

**Contact : Krishan Silva / Managing Director
Contact No : Mobile/Whatsapp : +94727 39 59 79
Email : krishan@imspvtltd.com**

**INTEGRATED MANAGEMENT
SOLUTIONS PVT LTD**

krishan@imspvtltd.com
Direct : 0727 39 59 79

ISO 9001:2015 CERTIFIED BY UKAS / SGS